Amendments to the Claims:

Claims 236-241, 243-292, 294-299, 301-350, 352-357, 359-408, and 409-429 are pending in this application.

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1-235. (Cancelled)

236. (Currently Amended) A method for facilitating event communication among networks having a plurality of systems, comprising:

receiving at least one event in a client, said event transmitted by an eventgenerating entity coupled thereto;

converting said event in said client to a well-defined event;

determining a priority for a received said well-defined event;

obtaining at least one event handling script associated with said well-

defined event; and

processing said well-defined event in accordance with said event handling

- 237. (Original) The method of claim 236, wherein said event is received through an application program interface.
- 238. (Currently Amended) The method of claim 236, further comprising transmitting said <u>well-defined</u> event to a server before obtaining said event handling script.

script.

- 239. (Currently Amended) The method of claim 236, further comprising storing said <u>well-defined</u> event prior to processing.
- 240. (Currently Amended) The method of claim 236, wherein said <u>well-defined</u> event is assigned a priority level in accordance with a pre-determined criterion.
- 241. (Original) The method of claim 240, wherein said processing is performed in accordance with said priority level.
 - 242. (Cancelled)
- 243. (Currently Amended) The method of claim 236, further comprising creating a workflow thread for said <u>well-defined</u> event.
- 244. (Original) The method of claim 243, wherein said workflow thread is processed in accordance with said event handling script.
- 245. (Currently Amended) The method of claim 243, wherein a first <u>well-defined</u> event and a second <u>well-defined</u> event are processed from separate working threads.
- 246. (Currently Amended) The method of claim 245, wherein the first <u>well-defined</u> event may be dependent on the second <u>well-defined</u> event to finish processing or to change a state of a property.
- 247. (Currently Amended) The method of claim 236, wherein said <u>well-defined</u> event is divided into a plurality of workflow threads that are processed simultaneously or independent of each other.
- 248. (Currently Amended) The method of claim 236, further comprising receiving user instructions to configure said event handling script.

- 249. (Original) The method of claim 248, wherein said user instructions are received from a customized component.
- 250. (Original) The method of claim 249, wherein said customized component handles and displays a notification.
- 251. (Original) The method of claim 249, wherein said customized component displays information defined by an event handling script.
- 252. (Original) The method of claim 236, further comprising accessing a directory service for accessing information and operational preferences for said client.
- 253. (Currently Amended) The method of claim 236, further comprising embedding state information into a persistent store on said client for said <u>well-defined</u> event.
- 254. (Original) The method of claim 236, further comprising providing a notification service, said notification service allowing access to a notification dispatcher for transmitting a notification.
- 255. (Original) The method of claim 254, wherein said notification dispatcher provides access to at least one mechanism of notification, said notification provided as a result of said processing.
- 256. (Original) The method of claim 255, wherein said mechanism of notification is one of electronic mail, paging, web browsing and instant messaging.
- 257. (Original) The method of claim 236, further comprising transmitting a notification as a result of said processing.
- 258. (Original) The method of claim 236, wherein said event handling script is provided as an executable script.

- 259. (Currently Amended) The method of claim 236, further comprising creating timers that specify the time an a well-defined event is processed by an event handling script.
- 260. (Currently Amended) The method of claim 236, wherein the processing of said <u>well-defined</u> event is performed in accordance with a time sequence required by said event handling script.
- 261. (Currently Amended) The method of claim 236, further comprising transmitting information based on said processing of said <u>well-defined</u> event through an application program interface to users.
- 262. (Currently Amended) A method for facilitating event communication among networks having a plurality of systems, comprising:

receiving at least one <u>well-defined</u> event at a server, wherein said <u>well-defined</u> event is forwarded to said server from a client coupled thereto;

determining a priority for a received said well-defined event;

obtaining at least one event handling script associated with said <u>well-defined</u> event; and

processing said well-defined event in accordance with said event handling script.

- 263. (Currently Amended) The method of claim 262, further comprising dispatching a notification based upon the processing of said <u>well-defined</u> event.
- 264. (Original) The method of claim 262, further comprising accessing a repository for querying and publishing information between at least two of said plurality of systems.

- 265. (Currently Amended) The method of claim 264, wherein said repository provides information for one of defining, handling and processing <u>well-defined</u> events in said systems.
- 266. (Original) The method of claim 264, wherein said repository provides information to assist in discovery of information on a potential counter-party.
- 267. (Currently Amended) The method of claim 262, further comprising listening for determining presence of an a well-defined event at the server.
- 268. (Original) The method of claim 262, wherein said server is a distributed server.
- 269. (Currently Amended) The method of claim 268, further comprising synchronizing a result of processing said <u>well-defined</u> event received in said distributed server.
- 270. (Currently Amended) The method of claim 262, further comprising loading a handling script for processing a subsection of said <u>well-defined</u> event.
- 271. (Currently Amended) The method of claim 262, further comprising saving said well-defined event received at said server in a storage device.
- 272. (Original) The method of claim 263, wherein said mechanism of dispatching said notification is one of electronic mail, paging, web browsing and instant messaging.
- 273. (Original) The method of claim 263, further comprising dispatching said notification to said client.
- 274. (Currently Amended) The method of claim 262, wherein said <u>well-defined</u> event is processed in a workflow thread.

- 275. (Original) The method of claim 274, wherein said workflow thread is processed in accordance with said event handling script.
- 276. (Currently Amended) The method of claim 274, wherein a first <u>well-defined</u> event and a second <u>well-defined</u> event are processed from separate working threads.
- 277. (Currently Amended) The method of claim 276, wherein said first well-defined event may be dependent on said second well-defined event to finish processing or to change a state of a property.
- 278. (Currently Amended) The method of claim 262, wherein said <u>well-defined</u> event is divided into a plurality of workflow threads that are processed simultaneously or independent of each other.
- 279. (Original) The method of claim 262, further comprising writing of a customized service accessible to said event handling script.
- 280. (Original) The method of claim 262, wherein said event handling script is configured to use system service during said processing.
- 281. (Original) The method of claim 262, wherein said event handling script is configured to use customized service during said processing.
- 282. (Original) The method of claim 280, wherein said system service provides access to a repository that facilitates querying and publishing of information.
- 283. (Original) The method of claim 282, wherein said information assists said systems in managing connectivity therebetween.
- 284. (Currently Amended) The method of claim 280, wherein said system service causes said event handling script to embed state information into a persistent storage means for allowing said well-defined event to check state across more than one processing path.

- 285. (Currently Amended) The method of claim 280, wherein said system service provides said event handling script with access to a schedule to determine flow of processing of said well-defined event.
- 286. (Currently Amended) The method of claim 280, wherein said system service further allows said event handling script to write messages to an action log of said well-defined event and to a storage device.
- 287. (Currently Amended) The method of claim 280, wherein said system service further allows said event handling script to create timers that specify the time an a well-defined event is processed.
- 288. (Currently Amended) The method of claim 280, wherein said system service further allows said event handling script to create a time sequence by which said <u>well-defined</u> event is processed.
- 289. (Currently Amended) The method of claim 262, further comprising assigning a priority level to said <u>well-defined</u> event in accordance with a pre-determined criterion.
- 290. (Currently Amended) The method of claim 289, further comprising scheduling said well-defined event in accordance with said priority level.
- 291. (Original) The method of claim 289, wherein said processing is performed in accordance with said priority level.
- 292. (Original) The method of claim 262, wherein said event handling script is provided as an executable script.
 - 293. (Cancelled)

294. (Currently Amended) An A client-apparatus for facilitating event communication among networks having a plurality of systems, the client-apparatus comprising:

a storage device;

a processor connected to said storage device;

a program stored in said storage device and configured to control said processor;

and

said processor operative with said program to:

receive at least one event, said event transmitted by an event-generating entity coupled to said <u>client-apparatus</u>;

converting said event to a well-defined event;

determining a priority for a received said well-defined event;

obtain at least one event handling script associated with said well-defined

event; and

process said well-defined event in accordance with said event handling

- 295. (Currently Amended) The <u>client-apparatus</u> of claim 294, wherein the processor is further operative with the program to receive said event through an application program interface.
- 296. (Currently Amended) The <u>client-apparatus</u> of claim 294, wherein the processor is further operative with the program to transmit said <u>well-defined</u> event to a server before obtaining said event handling script.

script.

- 297. (Currently Amended) The <u>client-apparatus</u> of claim 294, wherein the processor is further operative with the program to store said <u>well-defined</u> event prior to processing.
- 298. (Currently Amended) The <u>client-apparatus</u> of claim 294, wherein the processor is further operative with the program to assign said <u>well-defined</u> event a priority level in accordance with a pre-determined criterion.
- 299. (Currently Amendment) The <u>client-apparatus</u> of claim 298, wherein the processor is further operative with the program to perform said processing in accordance with said priority level.
 - 300. (Cancelled)
- 301. (Currently Amended) The <u>client-apparatus</u> of claim 294, wherein the processor is further operative with the program to create a workflow thread for said <u>well-defined</u> event.
- 302. (Currently Amendment) The <u>client-apparatus</u> of claim 301, wherein the processor is further operative with the program to process said workflow thread in accordance with said event handling script.
- 303. (Currently Amended) The <u>client-apparatus</u> of claim 301, wherein the processor is further operative with the program to process a first <u>well-defined</u> event and a second <u>well-defined</u> event from separate working threads.
- 304. (Currently Amended) The <u>client-apparatus</u> of claim 303, wherein the first <u>well-defined</u> event may be dependent on the second <u>well-defined</u> event to finish processing or to change a state of a property.

- 305. (Currently Amended) The <u>client-apparatus</u> of claim 294, wherein the processor is further operative with the program to divide said <u>well-defined</u> event into a plurality of workflow threads that are processed simultaneously or independent of each other.
- 306. (Currently Amended) The <u>client-apparatus</u> of claim 294, wherein the processor is further operative with the program to receive user instructions to configure said event handling script.
- 307. (Currently Amended) The <u>client-apparatus</u> of claim 306, wherein the processor is further operative with the program to receive said user instructions from a customized component.
- 308. (Currently Amended) The <u>client-apparatus</u> of claim 307, wherein said customized component handles and displays a notification.
- 309. (Currently Amended) The <u>client-apparatus</u> of claim 307, wherein said customized component displays information defined by an event handling script.
- 310. (Currently Amended) The <u>client-apparatus</u> of claim 294, wherein the processor is further operative with the program to access a directory service for accessing information and operational preferences.
- 311. (Currently Amended) The <u>client-apparatus</u> of claim 294, wherein the processor is further operative with the program to embed state information into a persistent store for said <u>well-defined</u> event.
- 312. (Currently Amended) The <u>client-apparatus</u> of claim 294, wherein the processor is further operative with the program to provide a notification service, said notification service allowing access to a notification dispatcher for transmitting a notification.

- 313. (Currently Amended) The <u>client-apparatus</u> of claim 312, wherein said notification dispatcher provides access to at least one mechanism of notification, said notification provided as a result of said processing.
- 314. (Currently Amended) The <u>client-apparatus</u> of claim 313, wherein said mechanism of notification is one of electronic mail, paging, web browsing and instant messaging.
- 315. (Currently Amended) The <u>client-apparatus</u> of claim 294, wherein the processor is further operative with the program to transmit a notification as a result of said processing.
- 316. (Currently Amended) The <u>client-apparatus</u> of claim 294, wherein the processor is further operative with the program to provide said event handling script as an executable script.
- 317. (Currently Amended) The <u>client-apparatus</u> of claim 294, wherein the processor is further operative with the program to create timers that specify the time an <u>a well-defined</u> event is processed by an event handling script.
- 318. (Currently Amended) The <u>client-apparatus</u> of claim 294, wherein the processor is further operative with the program to process said <u>well-defined</u> event in accordance with a time sequence required by said event handling script.
- 319. (Currently Amended) The <u>client-apparatus</u> of claim 294, wherein the processor is further operative with the program to transmit information based on said processing of said <u>well-defined</u> event through an application program interface to at least one user.
- 320. (Currently Amended) An A server-apparatus for facilitating event communication among networks having a plurality of systems, the server-apparatus comprising:

a storage device;

a processor connected to said storage device;

a program stored in said storage device and configured to control said processor;

and

said processor operative with said program to:

receive at least one <u>well-defined</u> event, wherein said <u>well-defined</u> event is forwarded to said <u>server-apparatus</u> from a client coupled thereto;

determining a priority for a received said well-defined event;

obtain at least one event handling script associated with said well-defined

event; and

process said <u>well-defined</u> event in accordance with said event handling script.

- 321. (Currently Amended) The <u>server-apparatus</u> of claim 320, wherein the processor is further operative with the program to dispatch a notification based upon the processing of said <u>well-defined</u> event.
- 322. (Currently Amended) The <u>server-apparatus</u> of claim 320, wherein the processor is further operative with the program to access a repository for querying and publishing information between at least two of said plurality of systems.
- 323. (Currently Amended) The <u>server-apparatus</u> of claim 322, wherein said repository provides information for one of defining, handling and processing <u>well-defined</u> events in said systems.

- 324. (Currently Amended) The <u>server-apparatus</u> of claim 322, wherein said repository provides information to assist in discovery of information on a potential counter-party.
- 325. (Currently Amended) The <u>server-apparatus</u> of claim 320, wherein the processor is further operative with the program to listen for determining presence of <u>an a well-defined</u> event at the <u>server-apparatus</u>.
- 326. (Currently Amended) The <u>server-apparatus</u> of claim 320, wherein said <u>server-apparatus</u> is a distributed server.
- 327. (Currently Amended) The <u>server-apparatus</u> of claim 326, wherein the processor is further operative with the program to synchronize a result of processing said <u>well-defined</u> event received in said distributed server.
- 328. (Currently Amended) The <u>server-apparatus</u> of claim 320, wherein the processor is further operative with the program to load a handling script for processing a subsection of said well-defined event.
- 329. (Currently Amended) The <u>server-apparatus</u> of claim 320, wherein the processor is further operative with the program to save said <u>well-defined</u> event received at said server in a storage device.
- 330. (Currently Amended) The <u>server-apparatus</u> of claim 321, wherein said mechanism of dispatching said notification is one of electronic mail, paging, web browsing and instant messaging.
- 331. (Currently Amended) The <u>server-apparatus</u> of claim 321, wherein the processor is further operative with the program to dispatch said notification to said client.

- 332. (Currently Amended) The <u>server-apparatus</u> of claim 320, wherein the processor is further operative with the program to process said <u>well-defined</u> event in a workflow thread.
- 333. (Currently Amended) The <u>server-apparatus</u> of claim 332, wherein the processor is further operative with the program to process said workflow thread in accordance with said event handling script.
- 334. (Currently Amended) The <u>server-apparatus</u> of claim 332, wherein the processor is further operative with the program to process a first <u>well-defined</u> event and a second <u>well-defined</u> event from separate working threads.
- 335. (Currently Amended) The <u>server-apparatus</u> of claim 334, wherein said first <u>well-defined</u> event may be dependent on said second <u>well-defined</u> event to finish processing or to change a state of a property.
- 336. (Currently Amended) The <u>server-apparatus</u> of claim 320, wherein the processor is further operative with the program to divide said <u>well-defined</u> event into a plurality of workflow threads that are processed simultaneously or independent of each other.
- 337. (Currently Amended) The <u>server-apparatus</u> of claim 320, wherein the processor is further operative with the program to write a customized service accessible to said event handling script.
- 338. (Currently Amended) The <u>server-apparatus</u> of claim 320, wherein the processor is further operative with the program to configure said event handling script to use system service during said processing.
- 339. (Currently Amended) The <u>server-apparatus</u> of claim 320, wherein the processor is further operative with the program to configure said event handling script to use customized service during said processing.

- 340. (Currently Amended) The <u>server-apparatus</u> of claim 338, wherein said system service provides access to a repository that facilitates querying and publishing of information.
- 341. (Currently Amended) The <u>server-apparatus</u> of claim 340, wherein said information assists said systems in managing connectivity therebetween.
- 342. (Currently Amended) The <u>server-apparatus</u> of claim 338, wherein said system service causes said event handling script to embed state information into a persistent storage means for allowing said <u>well-defined</u> event to check state across more than one processing path.
- 343. (Currently Amended) The <u>server-apparatus</u> of claim 338, wherein said system service provides said event handling script with access to a schedule to determine flow of processing of said <u>well-defined</u> event.
- 344. (Currently Amended) The <u>server-apparatus</u> of claim 338, wherein said system service further allows said event handling script to write messages to an action log of said well-<u>defined</u> event and to a storage device.
- 345. (Currently Amended) The <u>server-apparatus</u> of claim 338, wherein said system service further allows said event handling script to create timers that specify the time an <u>a</u> well-defined event is processed.
- 346. (Currently Amended) The <u>server-apparatus</u> of claim 338, wherein said system service further allows said event handling script to create a time sequence by which said <u>well-defined</u> event is processed.
- 347. (Currently Amended) The <u>server-apparatus</u> of claim 320, wherein the processor is further operative with the program to assign a priority level to said <u>well-defined</u> event in accordance with a pre-determined criterion.

- 348. (Currently Amended) The <u>server-apparatus</u> of claim 347, wherein the processor is further operative with the program to schedule said <u>well-defined</u> event in accordance with said priority level.
- 349. (Currently Amended) The <u>server-apparatus</u> of claim 347, wherein the processor is further operative with the program to perform said processing in accordance with said priority level.
- 350. (Currently Amended) The <u>server-apparatus</u> of claim 320, wherein the processor is further operative with the program to provide said event handling script as an executable script.
 - 351. (Cancelled)
- 352. (Currently Amended)A computer-readable medium having computer-executable instructions for facilitating event communication among networks having a plurality of systems, comprising instructions for:

receiving at least one event in a client, said event transmitted by an eventgenerating entity coupled thereto;

converting said event in said client to a well-defined event;

determining a priority for a received said well-defined event;

obtaining at least one event handling script associated with said well-defined

event; and

processing said well-defined event in accordance with said event handling script.

353. (Currently Amended) The computer-readable medium of claim 352, further comprising instructions for receiving said <u>well-defined</u> event through an application program interface.

- 354. (Currently Amended) The computer-readable medium of claim 352, further comprising instructions for transmitting said <u>well-defined</u> event to a server before obtaining said event handling script.
- 355. (Currently Amended) The computer-readable medium of claim 352, further comprising instructions for storing said <u>well-defined</u> event prior to processing.
- 356. (Currently Amended) The computer-readable medium of claim 352, further comprising instructions for assigning said <u>well-defined</u> event a priority level in accordance with a pre-determined criterion.
- 357. (Original) The computer-readable medium of claim 356, further comprising instructions for performing said processing in accordance with said priority level.
 - 358. (Cancelled)
- 359. (Currently Amended) The computer-readable medium of claim 352, further comprising instructions for creating a workflow thread for said <u>well-defined</u> event.
- 360. (Original) The computer-readable medium of claim 359, further comprising instructions for processing said workflow thread in accordance with said event handling script.
- 361. (Currently Amended) The computer-readable medium of claim 359, further comprising instructions for processing a first <u>well-defined</u> event and a second <u>well-defined</u> event from separate working threads.
- 362. (Currently Amended) The computer-readable medium of claim 361, wherein the first <u>well-defined</u> event may be dependent on the second <u>well-defined</u> event to finish processing or to change a state of a property.

- 363. (Currently Amended) The computer-readable medium of claim 352, further comprising instructions for dividing said <u>well-defined</u> event into a plurality of workflow threads that are processed simultaneously or independent of each other.
- 364. (Original) The computer-readable medium of claim 352, further comprising instructions for receiving user instructions to configure said event handling script.
- 365. (Original) The computer-readable medium of claim 364, further comprising instructions for receiving said user instructions from a customized component.
- 366. (Original) The computer-readable medium of claim 365, wherein said customized component handles and displays a notification.
- 367. (Original) The computer-readable medium of claim 365, wherein said customized component displays information defined by an event handling script.
- 368. (Original) The computer-readable medium of claim 352, further comprising instructions for accessing a directory service for accessing information and operational preferences for said client.
- 369. (Currently Amended) The computer-readable medium of claim 352, further comprising instructions for embedding state information into a persistent store on said client for said <u>well-defined</u> event.
- 370. (Original) The computer-readable medium of claim 352, further comprising instructions for providing a notification service, said notification service allowing access to a notification dispatcher for transmitting a notification.
- 371. (Original) The computer-readable medium of claim 370, wherein said notification dispatcher provides access to at least one mechanism of notification, said notification provided as a result of said processing.

- 372. (Original) The computer-readable medium of claim 371, wherein said mechanism of notification is one of electronic mail, paging, web browsing and instant messaging.
- 373. (Original) The computer-readable medium of claim 352, further comprising instructions for transmitting a notification as a result of said processing.
- 374. (Original) The computer-readable medium of claim 352, further comprising instructions for providing said event handling script as an executable script.
- 375. (Currently Amended) The computer-readable medium of claim 352, further comprising instructions for creating timers that specify the time an a well-defined event is processed by an event handling script.
- 376. (Currently Amended) The computer-readable medium of claim 352, further comprising instructions for performing the processing of said <u>well-defined</u> event in accordance with a time sequence required by said event handling script.
- 377. (Currently Amended) The computer-readable medium of claim 352, further comprising instructions for transmitting information based on said processing of said well-defined event through an application program interface to users.
- 378. (Currently Amended) A computer-readable medium for facilitating event communication among networks having a plurality of systems, comprising instructions for:

receiving at least one <u>well-defined</u> event at a server, wherein said <u>well-defined</u> event is forwarded to said server from a client coupled thereto;

determining a priority for a received said well-defined event;
obtaining at least one event handling script associated with said well-

defined event; and

processing said <u>well-defined</u> event in accordance with said event handling script.

- 379. (Currently Amended) The computer-readable medium of claim 378, further comprising instructions for dispatching a notification based upon the processing of said well-defined event.
- 380. (Original) The computer-readable medium of claim 378, further comprising instructions for accessing a repository for querying and publishing information between at least two of said plurality of systems.
- 381. (Currently Amended) The computer-readable medium of claim 380, wherein said repository provides information for one of defining, handling and processing well-defined events in said systems.
- 382. (Original) The computer-readable medium of claim 380, wherein said repository provides information to assist in discovery of information on a potential counter-party.
- 383. (Currently Amended) The computer-readable medium of claim 378, further comprising instructions for listening for determining presence of an a well-defined event at the server.
- 384. (Original) The computer-readable medium of claim 378, wherein said server is a distributed server.
- 385. (Currently Amended) The computer-readable medium of claim 384, further comprising instructions for synchronizing a result of processing said <u>well-defined</u> event received in said distributed server.

- 386. (Currently Amended) The computer-readable medium of claim 378, further comprising instructions for loading a handling script for processing a subsection of said well-defined event.
- 387. (Currently Amended) The computer-readable medium of claim 378, further comprising instructions for saving said <u>well-defined</u> event received at said server in a storage device.
- 388. (Original) The computer-readable medium of claim 379, wherein said mechanism of dispatching said notification is one of electronic mail, paging, web browsing and instant messaging.
- 389. (Original) The computer-readable medium of claim 379, further comprising instructions for dispatching said notification to said client.
- 390. (Currently Amended) The computer-readable medium of claim 378, further comprising instructions for processing said <u>well-defined</u> event in a workflow thread.
- 391. (Original) The computer-readable medium of claim 390, further comprising instructions for processing said workflow thread in accordance with said event handling script.
- 392. (Currently Amended) The computer-readable medium of claim 390, further comprising instructions for processing a first <u>well-defined</u> event and a second <u>well-defined</u> event from separate working threads.
- 393. (Currently Amended) The computer-readable medium of claim 392, wherein said first <u>well-defined</u> event may be dependent on said second <u>well-defined</u> event to finish processing or to change a state of a property.

- 394. (Currently Amended) The computer-readable medium of claim 378, further comprising instructions for dividing said <u>well-defined</u> event into a plurality of workflow threads that are processed simultaneously or independent of each other.
- 395. (Original) The computer-readable medium of claim 378, further comprising instructions for writing a customized service accessible to said event handling script.
- 396. (Original) The computer-readable medium of claim 378, further comprising instructions for configuring said event handling script to use system service during said processing.
- 397. (Original) The computer-readable medium of claim 378, further comprising instructions for configuring said event handling script to use customized service during said processing.
- 398. (Original) The computer-readable medium of claim 396, wherein said system service provides access to a repository that facilitates querying and publishing of information.
- 399. (Original) The computer-readable medium of claim 398, wherein said information assists said systems in managing connectivity therebetween.
- 400. (Currently Amended) The computer-readable medium of claim 396, wherein said system service causes said event handling script to embed state information into a persistent storage means for allowing said <u>well-defined</u> event to check state across more than one processing path.
- 401. (Currently Amended) The computer-readable medium of claim 396, wherein said system service provides said event handling script with access to a schedule to determine flow of processing of said well-defined event.

- 402. (Currently Amended) The computer-readable medium of claim 396, wherein said system service further allows said event handling script to write messages to an action log of said well-defined event and to a storage device.
- 403. (Currently Amended) The computer-readable medium of claim 396, wherein said system service further allows said event handling script to create timers that specify the time an a well-defined event is processed.
- 404. (Currently Amended) The computer-readable medium of claim 396, wherein said system service further allows said event handling script to create a time sequence by which said <u>well-defined</u> event is processed.
- 405. (Currently Amended) The computer-readable medium of claim 378, further comprising instructions for assigning a priority level to said <u>well-defined</u> event in accordance with a pre-determined criterion.
- 406. (Currently Amended) The computer-readable medium of claim 405, further comprising instructions for scheduling said <u>well-defined</u> event in accordance with said priority level.
- 407. (Original) The computer-readable medium of claim 405, further comprising instructions for performing said processing in accordance with said priority level.
- 408. (Original) The computer-readable medium of claim 378, further comprising instructions for providing said event handling script as an executable script.
 - 409. (Cancelled)
- 410. (Currently Amended) A computer program for facilitating event communication among networks having a plurality of systems, comprising:

Amendment dated August 4, 2005

RCE submission pursuant to 37 C.F.R. §1.114

first program means for receiving at least one event in a client, said event transmitted by an event-generating entity coupled to said client;

second program means for converting said event in said client to a well-defined event;

second third program means for determining a priority for a received said well-defined event;

third fourth program means for obtaining at least one event handling script associated with said well-defined event; and

fourth fifth program means for processing said well-defined event in accordance with said event handling script.

411. (Currently Amended) A computer program for facilitating event communication among networks having a plurality of systems, comprising:

first program means for receiving at least one <u>well-defined</u> event at a server, wherein said <u>well-defined</u> event is forwarded to said server from a client coupled thereto; second program means for determining a priority for a received <u>said well-</u>

third program means for obtaining at least one event handling script associated with said <u>well-defined</u> event; and

fourth program means for processing said <u>well-defined</u> event in accordance with said event handling script.

412. (Currently Amended) A system for facilitating event communication among networks having a plurality of systems, comprising:

<u>defined</u> event;

a server with a work flow manager for determining a priority for a received said well-defined event; said well-defined event is forwarded to said server from a plurality of networks coupled thereto;

an agent resident on one of said plurality of networks, wherein said agent communicates with said server; and

a monitor coupled to said agent, wherein said monitor handles and displays notifications and enables event handling in said agent,

wherein said server further acts as a message router for forwarding well-defined events between one or more agents, said agent providing said server with connectivity information, said server further persisting well-defined events and well-defined event actions that flow through said system.

413. (Currently Amended) The system of claim 412, wherein said server further comprises:

a server event manager for continuously discovering an a well-defined event entering said server;

a server workflow engine for processing said <u>well-defined</u> event received by said server;

a server workflow manager for controlling and overseeing said processing of said well-defined event by said workflow engine;

a server state manager for maintaining state of said <u>well-defined</u> event across said server; and

a notification dispatcher for transmitting information of said <u>well-defined</u> event through delivery means to at least one user.

414. (Currently Amended) The system of claim 413, wherein said server workflow engine further comprises:

at least one server workflow thread for allowing division of workflow into a smaller task, wherein said task can be performed independently; and

a script engine for providing scripted processing of <u>well-defined</u> events and actions within said server workflow engine.

- 415. (Original) The system of claim 413, wherein said server further comprises an application program interface for communicating with various messaging protocols.
- 416. (Original) The system of claim 415, wherein said application program interface further allows interaction with client systems.
- 417. (Original) The system of claim 413, wherein said server further comprises a security manager for ensuring that information passed to said server is reliable.
- 418. (Currently Amended) The system of claim 413, wherein said server further comprises a storage device for saving said <u>well-defined</u> event.
- 419. (Currently Amended) The system of claim 413, wherein said server further comprises a repository for storing information to define, handle and process said <u>well-defined</u> event.
 - 420. (Original) The system of claim 412, wherein said agent comprises: an agent event manager for detecting an event entering said agent;

an agent workflow engine for processing said event received within said agent;

an agent workflow manager for controlling and overseeing said processing of said event by said workflow engine;

an agent state manager for maintaining state of said event across said agent; and

a notification dispatcher for transmitting information of said event through delivery means to at least one user.

- 421. (Original) The system of claim 420, wherein said agent further comprises an event application program interface for interfacing with external engines to receive events addressed to said agent.
- 422. (Original) The system of claim 421, wherein said agent further comprises a connection manager for managing connections to said agent.
- 423. (Original) The system of claim 420, wherein said agent workflow engine further comprises:

at least one agent workflow thread for allowing division of workflow into a smaller task, wherein said task can be performed independently; and

a script engine for providing scripted processing of events and actions within said agent workflow engine.

424. (Original) The system of claim 420, wherein said agent further comprises an application program interface for communicating with various messaging protocols.

- 425. (Original) The system of claim 424, wherein said application program interface further allows interaction with client systems.
- 426. (Original) The system of claim 412, wherein said monitor displays notifications regarding said events.
- 427. (Original) The system of claim 426, wherein said monitor allows modification of customized rules for event handling.
- 428. (Original) The system of claim 427, wherein said monitor may be viewed from a standard web browser.
- 429. (Original) The system of claim 428, wherein said monitor may be viewed from a customized application.